


Ofärgat glas

Uncoloured glass



Det är viktigt att separera färgat glas från ofärgat glas. Ta bort lock och kapsyler och sortera dessa efter sitt material. Skölj gärna ur flaskan eller burken. Exempel på ofärgat glas:

- Ofärgade glasburkar
- Ofärgade glasflaskor
- Ovanstående även om det är trasigt

OBS 1! Laboratorieglas/Borosilikatglas (även rent och ej förorenat) skall sorteras som grovsopor/övrigt avfall alternativt laboratorieavfall.

OBS2! Glas som innehållit farligt avfall får ej läggas här. Glas märkt med "Akut giftig", "Miljöfarlig", eller "Allvarlig hälsofara" sorteras som kemikalieavfall. Rent glas med övriga faropiktogram kan källsorteras om faropiktogram kryssas över eller tas bort innan förpackningen läggs i återvinningsbehållare. För mer instruktioner, se Laboratorieavfall under Länkar.

OBS 3! Pasteurpipetter och objektglas ska sorteras som "Stickande/skärande smittförande avfall", se KI:s regler för laboratorieavfall.

OBS 4! Glödlampor eller plan/fönsterglas får ej sorteras som glas. Glödlampor sorteras som ljuskällor, plan/fönsterglas som grovsopor/övrigt avfall.

It is important to separate coloured glass from uncoloured glass. Remove caps and lids and sort these according to their material. Rinse the bottle or jar. Examples of uncoloured glass:

- Uncoloured glass jars
- Uncoloured glass bottles
- Also broken glass of the categories above

N.B.1! Laboratory glass made of borosilicate must be sorted as bulky waste/other waste or laboratory waste.

N.B.2! Glass that has contained hazardous waste must not be placed here. Glass labelled with "Acute toxicity", "Serious health hazard" or "Hazardous to the environment" must be handled as chemical waste. Clean glass with other hazard pictograms can be recycled if hazard pictograms are crossed over or removed before placed in a recycling bin. For further instructions, see Laboratory waste under Links.

N.B.3! Pasteur pipettes and object glasses must be sorted as "Sharps/infectious waste", see document KI:s rules for laboratory waste.

N.B.4! Lightbulbs and windowglass should not be placed here. Light bulbs are sorted as light sources, and windowglass as bulky waste/other waste.

ki.se/medarbetare/kallsortering-av-avfall
ki.se/en/staff/waste-management



**Karolinska
Institutet**