

Grovsopor/Övrigt avfall

Bulky waste/other waste



Här läggs skrymmande avfall och övrigt avfall såsom porslin/keramik och laboratorieglas av borosilikat. Sortera ditt avfall väl för att få så lite övrigt avfall som möjligt. Det övriga avfallet transporteras till behandlingsanläggningar där materialet sorteras och återvinns, energi utvinns eller läggs på deponi. Skrymmande avfall och möbler skamärkas med relevant ZZ-referens inför upphämtning. Exempel på grovsopor/övrigt avfall:

- Skrymmande avfall
- Möbler
- Porslin/keramik
- Rent och ej förorenat laboratorieglas

OBS 1! Här får du inte lägga farligt avfall, elektronik, förpackningar, tidningar, hushållssopor eller matavfall, samt byggavfall.

OBS 2! Glas märkt med "Giftigt", "Miljöfarligt" eller "Hälssofarligt" sorteras som kemikalieavfall, se KI:s regler för laboratorieavfall.

OBS 3! Trasigt porslin/keramik förpackas, märks upp med "trasigt porslin/keramik" och placeras vid sidan av kärlet."

This is where to put bulky waste and other waste such as porcelain/ceramics and laboratory glass made of borosilicate. Sort your waste well so as to produce as little other waste as possible. This waste is transported to treatment plants where the materials are sorted and recycled, energy recovered or deposited. Bulky waste and furniture must be labelled with applicable ZZ-reference or it will not be collected. Examples of bulky waste/other waste:

- Bulky waste
- Furniture
- Porcelain/ceramics
- Uncontaminated laboratory glass

N.B.1! You may not place hazardous waste, electronics, packages, magazines, household waste, food or construction waste here.

N.B.2! Glass labelled with "Highly toxic", "Carcinogenic/Mutagenic" and/or "Environmentally toxic" must be sorted as chemical waste. See KI:s rules for laboratory waste.

N.B.3! Broken porcelain/ceramics should be packaged and labelled with "broken porcelain/ceramics". Place the package on the side of the container.

ki.se/medarbetare/kallsortering-av-avfall
ki.se/en/staff/waste-management



**Karolinska
Institutet**